www.mezzacraft.com

Little Purse Crochet Pattern (British Crochet Terminology)



A simple little purse made in one piece – starting from the bottom up, in a spiral. The flap is then worked flat without breaking off the yarn.

terials: vds/37m Aran Weight Yarn or 60yds/55m Chunky Yarn ok – 4.5mm for Aran weight, 5mm for Chunky bestry or wool needle cking Stitch marker or safety pin tton uge: ere is no specific gauge, you just need to ensure the ric is firm and not open. You could use any thickness yarn but you may need to go down a hook size or more n specified on the ball band to get the desired density abric. ished dimensions: an – approx. 4"/10cm tall & 4.5"/11cm wide unky – approx. 5"/7.5cm tall & 6"/15cm wide	Key beg - beginning ch - chain dc - double crochet dc-inc - increase (2dc in one st) inv dec - invisible decrease (crochet two stitches together through the front loop only, see page 6 for details) rem - remaining rnd - round sk - skip st (s) - stitch(es) sl st - slip stitch tr - treble crochet
--	--



Copyright notice

Please do not copy, share or sell this pattern, in any format, including online. Please only share the link to this pattern source, i.e. my website or Ravelry.

You may make these purses to sell, either for charity or personal profit if you are a small scale crafter. All I ask is that you place the following text credit, either in your online listing or on a small piece of paper with the finished item: **Design from www.mezzacraft.com**

You may not use the pattern for large scale, commercial manufacturing.

Thank you and happy crafting!

Video Tutorial

This video is designed to be used in conjunction with the written pattern.

Link : https://youtu.be/KB96E0ibC4M



Written Instructions

Main pouch

Start with a magic ring:

Sliding Loop/Magic Ring



Start by laying the yarn across the forefinger & middle finger of your left hand, with the tail at the bottom & the working yarn coming out at the top - hold in place with your thumb.



Using the working end (ball end) of the yarn, wrap it around your two fingers twice.



Make sure the working yarn overlaps the tail end you have in place with your thumb.



Now pinch together all three strands at the point where they overlap, between your thumb &




Insert the hook into the ring (from above).



& pull up a loop. You are now ready to work into your magic ring/ sliding loop.

Continue to form the pouch.



Rnd10	Rnds 7-10 (4 rounds): dc in each st. (36dc) Rnd 11: (7dc, inv dec*) 4 times. (32dc) Rnds 12 – 15 (4 rounds): dc in each st. (32dc)	Rnd15
	Purse pouch finished. <i>Do not fasten</i> off.	
	*see page 6	

Purse flap - worked back and forth.


Take care to follow instructions for when to turn the work - the start of each row is also where the flap joins the pouch and is worked on the same side as the previous row so you're not turning the work as you normally would when working flat.



Row 1: in next st of pouch, sl st; sk 2 sts; 3tr in each of next 2 sts; sk 2 sts, sl st in next st. (6tr) Do not turn work.



Row 2 : ch3; sk 2 sts & sl st in next st of pouch...



Row 2 continued: ...*turn work*; tr into the last sl st of previous rnd which is at the base of the ch3...



Row 2 continued: ... 2tr into each of the 6tr of flap...



Row 2 continued: ... sk sl st & 2 scs of pouch & sl st in next pouch st. (13 tr, don't count beg ch3 or last sl st) Do not turn work.




Row 3: dc, in next st of pouch....



Row 3 continued: ...*turn work*; now working into the flap, sk 1st sl st; then (dc-inc; 2dc) 4 times; dcinc once more in last tr...



Row 3 continued: ...sl st into next st of pouch (19 sts, count last sl st) Do not turn work.



Invisible dc decrease



1.Insert hook into front loop of first stitch.



2.Pull up a loop (2 stitches on hook).



3.Insert hook into front loop of second stitch.



4.Pull up another loop (3 stitches on hook).



5.Pull a loop through all three stitches on hook. Invisible dc decrease made!

Button placement



Thread a needle ready for sewing (I like to use the thread double thickness for sewing on buttons). Fold the flap over and use the needle to pull the button loop down until the chain is fully extended and under slight tension. Keeping the needle vertical, insert into the pouch, making sure you only go through one layer.



Carefully pull the button loop off the needle and allow the thread to pull through. Fold the flap back out of the way.

Now sew an anchor for your button by stitching a cross shape – keeping the entry point of the needle at the centre of the cross. This creates a stable base for you button. At this point you may wish to get a small hook and pull the tail end of



Continue to sew the button on as you normally would. Fasten off securely on the inside of the pouch.

the thread through to the wrong side of the work.	
---	--